## 2021 Consumer Confidence Report for Public Water System MILLIGAN WSC

This is your water quality report for January 1 to December 31, 2021

For more information regarding this report contact:

MILLIGAN WSC provides surface water from Lavon Lake in Collin County.

Name: Candi Blisard

Phone 972-542-1143

Este reporte incluye información importante sobre el agua para tomar. Para asistencia en español, favor de llamar al telefono 972-542-1143.

#### **Definitions and Abbreviations**

Definitions and Abbreviations The following tables contain scientific terms and measures, some of which may require explanation.

Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Avg: Regulatory compliance with some MCLs are based on running annual average of monthly samples.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our

water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred

and/or why total coliform bacteria have been found in our water system on multiple occasions.

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum residual disinfectant level or MRDL:

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial

contaminants.

Maximum residual disinfectant level goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to

control microbial contaminants.

MFL million fibers per liter (a measure of asbestos)

mrem: millirems per year (a measure of radiation absorbed by the body)

na: not applicable.

NTU nephelometric turbidity units (a measure of turbidity)

pCi/L picocuries per liter (a measure of radioactivity)

#### **Definitions and Abbreviations**

ppb:	micrograms per liter or parts per billion
ppm:	millierams per liter or parts per million

ppq parts per quadrillion, or picograms per liter (pg/L)
ppt parts per trillion, or nanograms per liter (ng/L)

Treatment Technique or TT: A required process intended to reduce the level of a contaminant in drinking water.

### Information about your Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPAs Safe Drinking Water Hotline at (800) 426-4791.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact the system's business office.

You may be more vulnerable than the general population to certain microbial contaminants, such as Cryptosporidium, in drinking water. Infants, some elderly, or immunocompromised persons such as those undergoing chemotherapy for cancer; persons who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders, can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care providers. Additional guidelines on appropriate means to lessen the risk of infection by Cryptosporidium are available from the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

#### Information about Source Water

MILLIGAN WSC purchases water from NORTH TEXAS MWD WYLIE WTP. NORTH TEXAS MWD WYLIE WTP provides purchase surface water from Lavon Lake located in Collin County.

TCEQ completed a Source Water Susceptibility for all drinking water systems that own their sources. This report describes the susceptibility and types of constituents that may come into contact with the drinking water source based on human activities and natural conditions. The system(s) from which we purchase our water received the assessment report. For more information on source water assessments and protection efforts at our system contact Candi Blisard, 972-542-1143.

Lead and Copper	Date Sampled	MCLG	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Violation	Likely Source of Contamination
Copper	2021	1.3	1.3	0.5	0	ppm	N	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing
Lead	2021	0	15	1	0	ppb	N	Corrosion of household plumbing systems; Erosion of natural deposits.

## 2021 Water Quality Test Results

Haloacetic Acids (HAA5)	2021	20	14.9 - 23.6	No goal for the total	60	ppb	N	By-product of drinking water disinfection.
Disinfection By-Products	Collection Date	Highest Level Detected	Range of Individual Samples	MCLG	MCL	Units	Violation	Likely Source of Contamination
			***************************************					
Fotal Trihalomethanes (TTHM)	2021	33	24.4 - 39.2	No goal for the total	80	ppb	N	By-product of drinking water disinfection.

<sup>\*</sup>The value in the Highest Level or Average Detected column is the highest average of all TTHM sample results collected at a location over a year

Inorganic Contaminants	Collection Date	Highest Level Detected	Range of Individual Samples	MCLG	MCL	Units	Violation	Likely Source of Contamination
Nitrate [measured as Nitrogen]	2021	1	0.704 - 0.704	10	10	ppm		Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.

### Disinfectant Residual

Disinfectant Residual	Year	Average Level	Range of Levels Detected	MRDL	MRDLG	Unit of Measure	Violation (Y/N)	Source in Drinking Water
Chlorine Residual (Chloramines)	2021	2.08mg/L	.8mg/L-2.2mg/L	4	4	ppm	N	Water additive used to control microbes.

The following pages of this report have been provided by the NTMWD WYLIE TREATMENT PLANT for your information.

## NTMWD Wylie Water Treatment Plants Water Quality Data for Year 2021

Maximum Contaminant Level Goal	Total Coliform Maximum Contaminant Level	Highest No. of Positive	Fecal Coliform or E. Coli Maximum Contaminant Level	Total No. of Positive E. Coii or Fecal Coliform Samples	Violation	Likely Source of Contamination
0	1 positive monthly sample	0.00	0			
tentially harmful, bacteria may	found no fecal coliform bacteria. Coli	forms are bacteria that are natura	ally present in the	environment and are u	sed as an in	dicator that other,
neeny named, pacteria may					Mark Control	

Disinfectants and Disinfection By-Products	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Total Haloacetic Acids (HAA5)	2021	20	14,9,23,8	No goal for the total	60	ppb	Y:c	By-product of drinking water disinfection.
Total Trihalomethanes (TTHM)	2021	33	24,4-89,2	No goal for the total	80	ppb	No	By-product of drinking water disinfection.
Bromate	2021	69.2	5.27 - 69.2	5	10	ppb	No	By-product of drinking water ozonation.
NOTE: Not all sample results may campling should occur in the future	y have been use e. TCEQ only re	quies one sample	e Highest Level Detected becaus annually for compliance testing.	e some results	may be par	t of an evalu	ation to deter	mine where compliance
Inorganic Contaminants	Collection Date	Highest Level	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Antimony	2021	Levels lower than detect level	0 - 0	6	6	ppb	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; and test addition.
Arsenic	2021	Levels lower than detect level	0 - 0	0	10	ppb	No	Erosion of natural deposits; runoff from orchards; runoff from glas and electronics production wastes.
Barium	2021	0.038	0.037 - 0.038	2	2	ppm	No	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.
Beryllium	2021	Levels lower than detect level	0 - 0	4 4	4	ppb	No	Discharge from metal refineries and coal-burning factories; discharge from electrical, aerospace, and defense industries.
Cadmium	2021	Levels lower than detect level	0 - 0	5	5	ppb	No	Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints.
Chromium	2021	Levels lower than detect level	0 - 0	100	100	ppb		Discharge from steel and pulp mills; erosion of natural deposits.
Cyanide	2021	86.9	86.9 - 86.9	200	200	ppb	No	Discharge from steel/metal factories; Discharge from plastics and fertilizer factories.
Fluoride	2021	0.480	0.306 - 0.480	4	4	ppm	No	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories.
Mercury	2021 <sup>[</sup>	evels lower than detect level	0 - 0	2	2	ppb	No	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland.
								•

10

10

ppm

Runoff from fertilizer use; leaching from septic tanks; sewage;

erosion of natural deposits.

0.802

0.110 - 0.802

2021

Nitrate (measured as Nitrogen)

Selenium	2021	Leveis lower than detect level	0 - 0	50	50	ppb	No	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines.			
Thallium	2021	Levels lower than detect level	0 - 0	0.5	2	ppb	No	Discharge from electronics, glass, and leaching from ore-			
Nitrate Advisory: Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant you should ask advice from your health											
Radioactive Contaminants	Collection Date		Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination			
Radioactive Contaminants  Beta/photon emitters  Gross alpha excluding	2021		-	MCLG 0	MCL 50	Units pCi/L	<u> </u>	Likely Source of Contamination  Decay of natural and man-made deposits.			

0

5

pCi/L

No

Erosion of natural deposits.

0 - 0

2021

Radium

detect level Levels lower than

detect level

## NTMWD Wylie Water Treatment Plants Water Quality Data for Year 2021 (Cont.)

Synthetic organic contaminants	1	1		1		-	·	2
including pesticides and herbicides	Collection Date	1	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
2, 4, 5 - TP (Silvex)	2019	Levels lower than detect level	0 - 0	50	50	ppb	No	Residue of banned herbicide.
2, 4 - D	2019	Levels lower than detect level	0 - 0	70	70	ppb	No	Runoff from herbicide used on row crops.
Alachior	2021	Levels lower than detect level	0 - 0	0	2	ppb	No	Runoff from herbicide used on row crops.
Aldicarb	2019	Levels lower than detect level	0 - 0	1	3	ppb	No	Runoff from agricultural pesticide.
Aldicarb Sulfone	2019	Levels lower than detect level	0 - 0	1	2	ppb	No	Runoff from agricultural pesticide.
Aldicarb Sulfoxide	2019	Levels lower than detect level	0 - 0	1	4	ppb	No	Runoff from agricultural pesticide.
Atrazine	2021	0.3	0.2 - 0.3	3	3	ppb	No	Runoff from herbicide used on row crops.
Benzo (a) pyrene	2021	Levels lower than detect level	0 - 0	0	200	ppt	No	Leaching from linings of water storage tanks and distribution lines.
Carbofuran	2019	Levels lower than detect level	0 - 0	40	40	ppb	No	Leaching of soil fumigant used on rice and alfalfa.
Chlordane	2021	Levels lower than detect level	0 - 0	0	2	ppb	No	Residue of banned termiticide.
Dalapon	2019	Levels lower than detect level	0 - 0	200	200	ppb	No	Runoff from herbicide used on rights of way.
Di (2-ethylhexyl) adipate	2021	Levels lower than detect level	0 - 0	400	400	ppb	No	Discharge from chemical factories.
Di (2-ethylhexyl) phthalate	2021	Levels lower than detect level	0 - 0	0	6	ppb	No	Discharge from rubber and chemical factories.
Dibromochloropropane (DBCP)	2019	Levels lower than detect level	0 - 0	0	200	ppt		Runoff / leaching from soil fumigant used on soybeans, cotton, pineapples, and orchards.
Dinoseb	2019	Levels lower than detect level	0 - 0	7	7	ppb		Runoff from herbicide used on soybeans and vegetables.
Endrin	2021	Levels lower than detect level	0 - 0	2	2	ppb	No	Residue of banned insecticide.
Ethylene dibromide	2019	Levels lower than detect level	0 - 0	0	50	ppt	No	Discharge from petroleium refineries.
Heptachlor	2021	Levels lower than detect level	0 - 0	0	400	ppt	No I	Residue of banned termiticide.
Heptachlor epoxide	2021	Levels lower than detect level	0 - 0	0	200	ppt	No i	Breakdown of heptachlor.
Hexachlorobenzene	2021 <sup>I</sup>	_evels lower than detect level	0 - 0	0	1	ppb		Discharge from metal refineries and agricultural chemical actories.
Hexachlorocyclopentadiene	2021 <sup>[</sup>	evels lower than detect level	0 - 0	50	50	ppb		Discharge from chemical factories.
Lindane	2021 <sup>L</sup>	evels lower than detect level	0 - 0	200	200	ppt	No f	Runoff / leaching from insecticide used on cattle, lumber, and pardens.
Methoxychlor	2021	evels lower than detect level	0 - 0	40	40	ppb	No F	Runoff / leaching from insecticide used on fruits, vegetables, Ifalfa, and livestock.
Oxamyl [Vydate]	2019 L	evels lower than detect level	0 - 0	200	200	ppb	No F	Runoff / leaching from insecticide used on apples, potatoes, and principles.
Pentachlorophenol	2019 <sup>L</sup>	evels lower than detect level	0 - 0	0	1	ppb		prinatees. Discharge from wood preserving factories.

Picloram	2019	Levels lower than detect level	0 - 0	500	500	ppb	No	Herbicide runoff.
Simazine	2021	0.12	0.08 - 0.12	4	4	ppb	No	Herbicide runoff.
Toxaphene	2021	Levels lower than detect level	0 - 0	0	3	ppb	No	Runoff / leaching from insecticide used on cotton and cattle.
Volatile Organic Contaminants	Collection Date		Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
1, 1, 1 - Trichloroethane	2021	Levels lower than detect level	0 - 0	200	200	ppb	No	Discharge from metal degreasing sites and other factories.
1, 1, 2 - Trichloroethane	2021	Levels lower than detect level	0 - 0	3	5	ppb	<del>                                     </del>	Discharge from industrial chemical factories.
1, 1 - Dichloroethylene	2021	Levels lower than detect level	0 - 0	7	7	ppb	<del> </del>	Discharge from industrial chemical factories.
1, 2, 4 - Trichlorobenzene	2021	Levels lower than detect level	0 - 0	70	70	ppb	<del></del>	Discharge from textile-finishing factories.
1, 2 - Dichloroethane	2021	Levels lower than detect level	0 - 0	0	5	ppb		Discharge from industrial chemical factories.
1, 2 - Dichloropropane	2021	Levels lower than detect level	0 - 0	0	5	ppb		Discharge from industrial chemical factories
Benzene	2021	Levels lower than detect level	0 - 0	0	5	ppb	No	Discharge from factories; leaching from gas storage tanks and
Carbon Tetrachloride	2021	Levels lower than detect level	0 - 0	0	5	ppb		landfills.  Discharge from chemical plants and other industrial activities.

# NTWVD Wylie Water Treatment Plants Water Quality Data for Year 2021 (Cont.)

Volatile Organic Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	15-1-6	
Chlorobenzene	2021	Levels lower than detect level	0 - 0	100	100	ppb	Violation No	Likely Source of Contamination
Dichloromethane	2021	Levels lower than detect level	0 - 0	0	5	ppb	<b>}</b>	Discharge from chemical and agricultural chemical factories.  Discharge from pharmaceutical and chemical factories.
Ethylbenzene	2021	Levels lower than detect level	0 - 0	0	700	ppb		Discharge from petroleum refineries.
Styrene	2021	Levels lower than detect level	Û - Ū	100	100	ppb		Discharge from rubber and plastic factories; leaching from landfil
Tetrachloroethylene	2021	Levels lower than detect level	0 - 0	0	5	ppb		Discharge from factories and dry cleaners.
Toluene	2021	Levels lower than detect level	0 - 0	1	1	ppm		Discharge from petroleum factories.
Trichloroethylene	2021	Levels lower than detect level	0 - 0	0	5	ppb		Discharge from metal degreasing sites and other factories.
Vinyl Chloride	2021	Levels lower than detect level	0 - 0	0	2	ppb		Leaching from PVC piping; discharge from plastics factories.
Xylenes	2021	Levels lower than detect level	0 - 0	10	10	ppm	No	Discharge from petroleum factories; discharge from chemical factories.
cis - 1, 2 - Dichloroethylene	2021	Levels lower than detect level	0 - 0	70	70	ppb		Discharge from industrial chemical factories.
o - Dichlorobenzene	2021	Levels lower than detect level	0 - 0	600	600	ppb		Discharge from industrial chemical factories.
p - Dichlorobenzene	2021	Levels lower than detect level	0 - 0	75	75	ppb		Discharge from industrial chemical factories.
ans - 1, 2 - Dicholoroethylene	2021	Levels lower than detect level	0 - 0	100	100	ppb	<del></del>	Discharge from industrial chemical factories.

	the second second control of the second cont	لوواوي ويربد للتمامذ كالمحمود المحاكم		Construction of the second section of the second sections of the second section of the section of the second section of the section of the second section of the se
	Limit	¥	ŧ .	
Lisbooksia	(Treatment Technique)	Level Detected	Violation	Likely Source of Contamination
Highest single measurement	1 NTU	0.39 NTU	No	Soil runoff.
Lowest monthly percentage (%) meeting limit	0.3 NTU	02 200/	1	
NOTE: Turbidity is a measurement of the cloudiness of the water can of our filtration.	used by suspended particles. We maniter it has	g 00.0078	l No	Soil runoff.
of our filtration.	ased by suspended particles. We monitor it bed	cause it is a good indicato	r of water qua	ality and the effectiveness